

# SPRAYTEX

(661) 257 8787

## Material Safety Data Sheet

(Complies with ANSI Z400.1-1998)

Product Name:	Acoustic + Medium Texture #4004M, 20 oz.
Product Code:	SPR34603

### Section 1. Chemical Product and Company Identification

Product Name:	Acoustic + Medium Texture #4004M, 20 oz.	MSDS#:	SPR34603
Product Code:	SPR34603	Issue Date:	06/28/02
Product Class:	Aerosol Ceiling Texture		

#### For further information contact:

Spraytex

28430 W. Whitterspoon Pkwy

Valencia, CA 91355

8:00am-4:30pm Pacific Time Mon-Fri (800) 234 5979

FAX: (661) 267 8780

Web Site: [www.spraytex.com](http://www.spraytex.com)

#### For Chemical Emergencies:

### Section 2. Composition and Information on Ingredients

Hazardous Components	CAS #	Liquid Pressure	Weight %	100% TYP	100% TYP	100% TYP	Units
Dimethyl Ether	115-10-6	63 psig @ 70 F	<15	1000	1000	1000	ppm

NE = not established for this material.

\*\* = Components marked with double asterisk are present above De minimus cut off level and subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 an 40 CFR Part 372.

### Section 3. Hazard Identification

Emergency Overview:	<b>Warning: Contents under pressure.</b> Product when dispensed is a pressurized white wall texture. Do not place in hot water, or near radiators, stoves or others source of heat. Do not puncture or incinerate container or store at temperature over 120 F. Do not use in presence of open flame or spark. KEEP OUT OF REACH OF CHILDREN. Avoid getting into eyes. Use only as directed. <b>Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.</b>
---------------------	---

#### Potential Health Effects:

Eye contact:	Contact may cause mild eye irritation including stinging, watering, and redness.
Skin contact:	Practically non-irritating to skin. No harmful effects from skin absorption are expected.
Inhalation:	Contains asphyxiant gases. Intentional inhalation of gases may cause headache, fatigue, weakness, mental confusion, mood disturbances, and decreased coordination and judgment. Severe overexposure may produce more serious symptoms, including coma and death.
Ingestion:	No harmful effects are expected from ingestion.
Chronic Effects:	None known at this time.

Product Name:	Acoustic + Medium Texture #4004M, 20 oz.
Product Code:	SPR34603

#### 4 First Aid Measures

<b>Eye:</b>	If irritation or redness develops, move victim away from exposure and into fresh air. Flush eyes with clean water. If symptoms persist, seek medical attention.
<b>Skin:</b>	Clean affected area(s) thoroughly by washing with mild soap and water. If irritation or redness develops and persists, seek medical attention.
<b>Inhalation:</b>	First aid is not normally required. If breathing difficulties develop, move victim away from source of exposure and into fresh air, seek immediate medical attention.
<b>Ingestions:</b>	No harmful effects are expected from ingestion.

#### 5 Fire Fighting Measures

<b>Flammability Classification:</b>	<b>Non Flammable</b> according to CFR 16, Ch II Subchapter C, part 1500.45.
<b>Aerosol Level</b>	<b>Aerosol Level 1</b> according to NFPA 30B, <i>Code for the Manufacture and Storage of Aerosol Products</i> .
<b>Unusual Fire &amp; Explosion Hazards:</b>	Aerosols will burst at temperatures above 130°F. Contents under pressure. Containers exposed to intense heat from fires must be cooled with water to prevent vapor pressure build up which could result in container rupture.
<b>Extinguishing Media:</b>	Use extinguishing agent suitable for type of surrounding fire.
<b>Fire Fighting Instructions:</b>	The use of self-contained breathing apparatus is recommended for fire fighters. Containers exposed to intense heat from fires must be cooled with water to prevent vapor pressure buildup which could result in container rupture. Keep containers cooled with water and remove them from danger if it can be done with minimal risk. Aerosols can be projectiles when bursting. If aerosols are bursting, stay clear until bursting is complete.

#### 6 Accidental Release Measures

Keep sources of ignition and hot metal surfaces isolates from spill. Stay upwind and away from spill/release. Isolate immediate hazard area and keep unauthorized personal out. Stop spill/release if it can be done with minimal risk. Wear appropriate protective equipment including respiratory protection as conditions warrant. Water may be useful in minimizing or dispersing vapors. Keep out of water supplies.

#### 7 Handling and Storage

<b>Handling:</b>	Contents under pressure. If used with adequate ventilation, no protective equipment is necessary. Used chemical goggles if likelihood of eye contact. Wash well with soap and water, after use of product.
<b>Storage:</b>	Store aerosol containers in cool, dry, well-ventilated areas away from heat and direct sunlight. Keep away from any incompatible material. Protect container (s) against physical damage.

Product Name:	Acoustic + Medium Texture #4004M, 20 oz.
Product Code:	SPR34603

## 8. Exposure Controls/Personal Protection

<b>Engineering Controls:</b>	A well ventilated room with adequate air circulation. Use local and general exhaust ventilation to effectively remove and prevent buildup of vapors/mist generated from the handling of this product.
<b>Respiratory:</b>	If used with adequate ventilation, no protective equipment is necessary.
<b>Skin:</b>	Not required based on the hazard of the material.
<b>Eye/Face:</b>	While contact with this material is not expected to cause appreciable irritation, the use of approved eye protection to safeguard against potential eye contact is considered good practice.
<b>Other Protective Equipment:</b>	A source of clean water should be available in the work area for flushing eyes and skin. Impervious clothing should be worn as needed.

## 9. Physical and Chemical Properties

### Concentrate Only:

<b>Physical State and appearance:</b>	Off White Viscous Liquid	<b>Specific Gravity:</b>	1.26 ( water=1)
<b>Boiling Range:</b>	> 100 °F ( 38°C )	<b>Solubility (water):</b>	Soluble
<b>Vapor Density:</b>	N/A	<b>pH:</b>	N/A
<b>Weight per Gallon:</b>	10.5 #/gal	<b>Flash Point:</b>	Non Flammable

## 10. Stability and Reactivity

<b>Chemical Stability:</b>	Stable under normal conditions of storage and handling.
<b>Conditions to Avoid:</b>	High temperatures, above 120°F, open flames and sparks.
<b>Incompatible Materials</b>	Avoid contact with strong oxidizing and reducing agents. Strong acids and bases.
<b>Hazardous Decomposition Products:</b>	Combustion may yield carbon monoxide, carbon dioxide and other unidentified organic compounds.
<b>Hazardous Polymerization:</b>	Will not occur.

## 11. Toxicological Information

No definitive information available on carcinogenicity, mutagenicity, target organs or developmental toxicity.

## 12. Disposal Considerations

This Material , if discarded as produced, is not a RCRA "listed" or "Characteristic" hazardous waste. Use resulting in chemical or physical change or contamination may subject it to regulation as a hazardous waste. Along with properly characterizing all waste materials, consult state and local regulations regarding the proper disposal of this material.

Product Name:	Acoustic + Medium Texture #4004M, 20 oz.
Product Code:	SPR34603

### 13. Transport Information

#### 1. DOT (Ground)

Shipping Name:	Consumer Commodity
Hazard Class:	ORM-D

#### 2. IMDG (Overseas)

Shipping Name:	Aerosols
Class:	2
UN No.:	1950
Label:	None
IMDG Code	Page 2102

#### 3. IATA (Air)

Shipping Name:	Consumer Commodity
Class:	9
ID No.:	8000
Label:	Miscellaneous Dangerous Goods
Packaging Instructions:	910

### 14. Regulatory Information

*Toxic Chemicals List under SARA Section 313 of the Title III and 40 CFR Part 372.*

None

*Chemicals under California Proposition 65*

None

*Flammability Classification 16 CFR, Ch II Subch. C, Part 1500.45*

Non Flammable

*Code of Manufacture and Storage of Aerosol Products NFPA 30B*

Aerosol Level 1

### 15. Documentary Information

Issue Date:	06/28/02
Previous Issue Date:	New
Product Code:	SPR34603

### 16. Disclaimer of Expressed and Implied Warranties

The information in this document is believed to be correct as of the date issued. **HOWEVER, NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR ANY OTHER WARRANTY IS EXPRESSED OR IS TO BE IMPLIED REGARDING THE ACCURACY OR COMPLETENESS OF THIS INFORMATION, THE RESULTS TO BE OBTAINED FROM THE USE OF THIS INFORMATION OR THE PRODUCT, THE SAFETY OF THIS PRODUCT, OR THE HAZARDS RELATED TO ITS USE.** This information and product are furnished on the condition that the person receiving the shall make his own determination as to the suitability of the product for his particular purpose and on the condition that he assume the risk of his use thereof.